

L Number	Hits	Search Text	DB	Time stamp
-	<i>Abstract 29</i> <i>Kvic</i>	((fingerprint adj data) near3 ((id or identification or index) and (database or storage)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 21:59
-	67239	((associat\$4 or connect\$4 or relat\$4 or link\$4) near3 (id or index or identificat\$4))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:09
-	<i>Real 6</i>	((biometric adj data) near3 ((associat\$4 or connect\$4 or relat\$4 or link\$4) near (id or index or identificat\$4)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:02
-	69078	((sav\$4 or retain\$4 or stor\$4) near3 (id or index or identificat\$4))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:15
-	268	((sav\$4 or retain\$4 or stor\$4) near3 (id or index or identificat\$4)) and ((biometric adj data) near3 (id or index or identificat\$4))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:16
-	181	((associat\$4 or connect\$4 or relat\$4 or link\$4) near3 (id or index or identificat\$4)) and (((sav\$4 or retain\$4 or stor\$4) near3 (id or index or identificat\$4)) and ((biometric adj data) near3 (id or index or identificat\$4)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:20
-	0	((associat\$4 or connect\$4 or relat\$4 or link\$4) near3 (id or index or identificat\$4)) and (((sav\$4 or retain\$4 or stor\$4) near3 (id or index or identificat\$4)) and ((biometric adj data) near3 (id or index or identificat\$4)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:20
-	0	((sav\$4 or retain\$4 or stor\$4) near3 (id or index or identificat\$4)) and ((biometric adj data) near3 (id or index or identificat\$4)) and ((utiliz\$4 or using) adj (id or index or identificat\$4))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:20
-	0	((biometric adj data) near3 (id or index or identificat\$4)) and ((utiliz\$4 or using) adj (id or index or identificat\$4)) adj (retriev\$4 or locate or identify)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:20
-	<i>File</i> <i>Kvic</i> 65	((utiliz\$4 or using) adj (id or index or identificat\$4)) adj (retriev\$4 or locate or identify)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:50

-	2126	(biometric adj data)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:21
-	<i>Lead</i> 1	((utiliz\$4 or using) adj (id or identification or index)) adj (retriev\$4 or locate or identify)) and ((biometric adj data))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:21
-	<i>Abstract</i> 58	biometric adj (data adj captur\$4)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 23:40
-	<i>Lead</i> 9	6292795.URPN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:56
-	<i>Lead</i> 5	"4611272" "5557794" "5727197" "5887274" "6065010").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:57
-	0	20020147600.URPN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 23:07
-	254	(identification near3 (biometric adj data))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 23:45
-	<i>Lead</i> 6	(positive adj identification) near3 (biometric adj data)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/29 15:53
-	<i>File</i> 125	((identification near3 (biometric adj data))) and Id	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 23:46
-	<i>File</i> 0	6697947.URPN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 23:49
-	<i>File</i> 40	((("4821118") or ("4993068") or ("4995086") or ("5054089") or ("5095194") or ("5109427") or ("5109428") or ("5144680") or ("5146102") or ("5180901") or ("5210588") or ("5210797") or ("5222152") or ("5230025") or ("5241606") or ("5265162") or ("5321242") or ("5325442") or ("5351303") or ("5280527"))).PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/29 15:48
-	1127	((("not" or no) adj need\$4) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number"))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/29 16:14
-	4468	(positive adj identification)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/29 15:53

-	<i>Hyfue10 kwc</i>	((("not" or no) adj need\$4) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number")) and ((positive adj identification))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 15:53
-	<i>title 98</i>	((identification near3 (biometric adj data))) and Id) and database	US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 15:56
-	0	((("not" or no) adj need\$4) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number")) and (((identification near3 (biometric adj data))) and Id) and database)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 15:56
-	410	((biometric adj data) near3 (id or index or identificat\$4))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 16:09
-	0	((("not" or no) adj need\$4) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number")) and (((biometric adj data) near3 (id or index or identificat\$4)))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 15:57
-	<i>Read 7</i>	((("not" or no) adj need\$4) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number")) and (biometric adj identif\$5)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 16:07
-	<i>Read 7</i>	((("not" or no) adj (requir\$4 or need\$4)) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number")) and (biometric adj identif\$5)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 16:07
-	<i>Read 7</i>	((("not" or no) adj (requir\$4 or need\$4 or Necessary)) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number")) and (biometric adj identif\$5)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 16:07
-	<i>title 180</i>	((biometric adj data) near3 (id or index or identificat\$4)) and (Merchant or "point of sale" or pos)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 16:14
-	<i>title 57 kwc</i>	((("not" or no) adj need\$4) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number") and (Merchant or "point of sale" or pos)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 16:17

